



**Institutional brackets for high carrying capacity**



- 1) Plate: electrolytically galvanised steel plate
  - 2) Fork: electrolytically galvanised steel plate
  - 3) Ball race ring: electrolytically galvanised steel plate
  - 4) Swivel actions: double ball ring with grease lubrication
  - 5) King pin: integrated with the plate and cold-riveted
- Available with total front foot brake


mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	daN
50	30	0.27	324402	0.32	328302	71	60x60	45x45	6	25.5	83	<b>80</b>



- 1) Plate: electrolytically galvanised steel plate
  - 2) Fork: electrolytically galvanised steel plate
  - 3) Ball race ring: electrolytically galvanised steel plate
  - 4) Swivel actions: double ball ring with grease lubrication
  - 5) King pin: integrated with the plate and cold-riveted
- Available with total front foot brake

mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	daN
50	30	0.24	323302	0.29	327302	71	55	10	25.5	83	<b>80</b>

**Institutional brackets for high carrying capacity**



- 1) Plate: electrolytically galvanised steel plate
  - 2) Fork: electrolytically galvanised steel plate
  - 3) Ball race ring: electrolytically galvanised steel plate
  - 4) Galvanised steel threaded stem
  - 5) Swivel actions: double ball ring with grease lubrication
- Available with total front foot brake

mm	mm	kg	CODE	kg	CODE	mm	mm	mm	mm	mm	mm	daN			
50	30	0.28	326302	0.33	329302	71	52	M10	25	25.5	83	<b>80</b>			